

**Notice of Allowability**

Application No.

10/053,487

Examiner

YOSEF KASSA

Applicant(s)

SASAI, TOSHIHIRO

Art Unit

2625

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an application filed on 11/02/2001.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☒ The drawings filed on 02 November 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 07/02/02, 11/02/01
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

***Allowable Subject Matter***

1. Claims 1-24 are allowed.
2. The following is an examiner's statement of reasons for allowance. The closest prior art of record failed to teach or suggest, equally dividing a square sub-matrix formed from 2 x 2 adjacent original pixels into small square regions along the X and Y coordinate axes, setting approximate points at vertexes of the regions, deriving on the basis of a predetermined interpolation function, interpolation coefficients discretized at approximate points within a predetermined range centered on an arbitrary approximate point, calculating interpolation coefficients normalized so as to adjust a sum of coefficient values of interpolation coefficients used for one interpolation operation among the interpolation coefficients to  $2^K$ . Therefore, in combination with all the other limitations claims 1-24 are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Other Prior Art Cited***

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent No. (5861917) to Tariki discloses focus detection using an image signal extracted...

US Patent No. (6493469) to Taylor et al discloses dual video camera system for sacnning...

US Patent No. (6023537) to Wada et al discloses image reading apparatus using and image reading...

US Patent No. (6464332) to Silverbrook et al discloses method and appatatus for the compensation...

US Patent No. (6546152) to Hou discloses method and apparatus for providing image...

### **Conclusion**

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOSEF KASSA whose telephone number is (703) 306-5918. The examiner can normally be reached on Monday-Thursday from 8:00 AM to 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BHAVESH MEHTA can be reached on (703) 308-5246. The fax phone numbers for the organization where this application or proceeding is assigned is (703) 872-9306 for regular communication and (703) 872-9306 for after Final communications.

Art Unit: 2625

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the customer service office whose telephone number is (703) 306-5631. The group receptionist number for TC 2600 is (703) 305-4700.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>.

Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**PATENT EXAMINER**

Yosef Kassa



01/19/05.



**BHAVESH M. MEHTA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600**